


Art Terrazzo



ART TERRAZZO

COLOURS, FORMATS & FINISHES



Matt P3	White	Light Grey
600 x 600mm	●	●
300 x 600mm	●	●
300 x 300mm	●	●
Brickbond Mosaic	●	●
Chevron Mosaic	●	●

Honed	White	Light Grey
600 x 600mm	●	●
300 x 600mm	●	●


FINISH: **MATT** | CATEGORY: PORCELAIN TILES | EDGE DETAIL: RECTIFIED | V RATING: V2
FINISH: **HONED** | CATEGORY: PORCELAIN TILES | EDGE DETAIL: RECTIFIED | V RATING: V2
FINISH: **MATT** | CATEGORY: MOSAIC TILES | EDGE DETAIL: RECTIFIED | V RATING: N/A






White


V2
P3




300 x 300mm
53329 (matt)




300 x 600mm
53330 (matt)
53332 (honed)



600 x 600mm
53331 (matt)
53333 (honed)



Brick
300 x 600mm
53461 (honed)




Chevron
300 x 600mm
53457 (honed)




Light Grey


V2
P3




300 x 300mm
53334 (matt)



300 x 600mm
53335 (matt)
53337 (honed)



600 x 600mm
53336 (matt)
53338 (honed)



Brick
300 x 600mm
53462 (honed)



Chevron
300 x 600mm
53458 (honed)

Technical Specifications

Properties	Test Method	Required Value	Value	Applies to
 Water absorption	ASTM C373	$\leq 0.5\%$	0.11%	Full range
 Breaking strength	ASTM C648	≥ 1100 N	2143 N	Full range
 Abrasion resistance	ASTM C1027	As reported	Class 3	Full range
 Slip resistance (wet pendulum test)	AS 4586:2013	N/A	P3 - Matt	Matt
 Chemical resistance	ASTM C650	As reported	Class A	Full range
 Stain resistance	ASTM C1378	As reported	Class A	Full range
 Origin	N/A	N/A	China	Full range
 Shade variation	N/A	N/A	V2	Full range



Packing Information

Tile Description		Quantity per Box	Quantity per m2		Quantity per Pallet	
Size (mm)	Finish	Pieces	Pieces	Weight	m2	Boxes
600 x 600	Matt Honed	4	2.78	22.22kg	57.60	40
300 x 600	Matt Honed	8	5.56	22.22kg	57.60	40
300 x 300	Matt	11	11.11	22.22kg	55.44	56
Brickbond Mosaic	Honed	8	5.56	31.20kg	64.51	48
Chevron Mosaic	Honed	8	-	2.30kg	-	40



The data and information contained in these specification sheets are indicative only unless stated otherwise. As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.