







300 x 300mm 52702 (honed)



300 x 600mn 52701 (honed)



600 x 600mm 52700 (honed)





300 x 300mm 52708 (honed)



300 x 600mm



600 x 600mm 52706 (honed)



Technical Specification

	Properties	Test Method	Required Value	Value	Applies to
	Water absorption	ISO 10545-3	≤ 0.5%	2.4 %	Full range
	Modulus of rupture	ISO 10545-4	≥ 35 N/mm	37.4 MPa	Full range
0	Abrasion resistance	ISO 10545-7	< 26 cm3	15.7 cm3	Full range
W.	Slip resistance (oil wet ramp test)	DIN 51130	N/A	R9 – Honed	Full range
	Chemical resistance	ISO 10545-13	Pass	Pass	Full range
	Stain resistance	ISO 10545-13	Min. class 2	Pass	Full range
	Origin	N/A	N/A	Terrazzo sourced in Italy, and laminated into porcelain backing in China	Full range
	Shade variation	N/A	N/A	V2 V3	Gnocchi White Gelato White



Packing Information

Tile description		Quantity per box	Quantity per m2		Quantity per pallet	
Size (mm)	Texture	Pieces	Pieces	Weight	m2	boxes
300 x 300	Honed	6	11.11	25.00 kg	37.80	70
300 x 600	Honed	3	5.55	25.00 kg	36.72	68
600 x 600	Honed	3	2.77	25.00 kg	36.72	34



As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation.

The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty or merchantability or fitness for a particular purpose.

To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet.

No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.

