Compact

Available in Vintage White, this collection is the perfect choice for an everlasting elegant look for any kind of feature wall.





Where style comes to life

| | and the second second second second |
|---------|---|
| | |
| Vintage | |
| White | |
| | |
| | |
| | |
| | |
| | |
| | |
| | 14 Mar 19 Mar |
| | |

110

| - | |
|---|--|
| | |
| - | |
| | |
| | |
| | |
| 1 | |
| | |
| | |
| | |
| | |
| | |
| 1 | |
| - | |

296 x 299mm (sht) 20 x 145mm (pce) 53014 (glossy)



1300 265 678 www.colortile.com.au

Technical Specification

| Properties | Test Method | Required Value | Value | Applies to |
|--------------------------------|--------------|--|---|-------------|
| Water absorption | ISO 10545-3 | ≤ 0.5% | 0.40% | All colours |
| Determination of dimensions | ISO 10545-2 | Length and width ± 0.6% Thickness ± 5.00% Edge straightness ± 0.5% | Length and width ± 0.4% Thickness ± 3.5% Edge straightness ± 0.5% | All colours |
| Chemical resistance | ISO 10545-13 | GB min. | Chemicals = Class GA Acids and Alkalis = Class GLA | All colours |
| Stain resistance | ISO 10545-14 | Class 3 min. | Class 5 | All colours |
| Origin | N/A | N/A | China | All colours |
| Shade variation | N/A | N/A | V1 | All colours |



Packing Information

| Tile description | | Quantity per box | Quantity | v per m2 | Quantity | per pallet |
|-------------------------------------|---------|------------------|----------|----------|----------|------------|
| Size (mm) | Texture | Pieces | Pieces | Weight | m2 | boxes |
| 296 x 299mm (sht) 20 x 145 (pce) | Glossy | 18 | 11.30 | 13.50 kg | 86.02 | 54 |
| | | | | | | |

The data and information contained in these specification sheets are indicative only unless stated otherwise.

As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.



1300 265 678 www.colortile.com.au