


# Metro



# METRO

## COLOURS, FORMATS & FINISHES



|                     |           |       |
|---------------------|-----------|-------|
| Matt   P3           | Dark Grey | Black |
| 200 x 200mm         | ●         | ●     |
| 200 x 100mm<br>Cove | ●         | ●     |

FINISH: **MATT** | CATEGORY: PORCELAIN TILES | EDGE DETAIL: RECTIFIED | V RATING: V1





Dark Grey

V1  
P3



200 x 100mm Cove  
54737 (matt)




200 x 200mm  
54736 (matt)



Black

V1  
P3



200 x 100mm Cove  
54740 (matt)



200 x 200mm  
54739 (matt)

# Technical Specifications

| Properties                                                                                                           | Test Method                 | Required Value                                                                      | Value                                                                              | Applies to |
|----------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------|
|  Water absorption                    | EN ISO 10545-3              | $\leq 0.5\%$                                                                        | $\leq 0.31\%$                                                                      | Full range |
|  Determination of dimensions         | EN ISO 10545-2              | Length and width $\pm 0.6\%$<br>Thickness $\pm 5.00\%$<br>Transmutation $\pm 0.5\%$ | Length and width $\pm 0.2\%$<br>Thickness $\pm 2.1\%$<br>Transmutation $\pm 0.2\%$ | Full range |
|  Breaking strength                   | EN ISO 10545-4              | $\geq 1300$ N                                                                       | $\geq 1310$ N                                                                      | Full range |
|  Modulus of rupture                  | EN ISO 10545-4              | 35 N/mm <sup>2</sup>                                                                | 37.4 N/mm <sup>2</sup>                                                             | Full range |
|  Abrasion resistance                 | EN ISO 10545-6              | Report Abrasion Class                                                               | Class 3                                                                            | Full range |
|  Slip resistance (wet pendulum test) | AS 4586-2013/<br>AMDT1-2017 | N/A                                                                                 | TBC                                                                                | Matt       |
|  Chemical resistance               | EN ISO 10545-13             | Min. GB                                                                             | Class GA                                                                           | Full range |
|  Stain resistance                  | ISO 10545-14                | Min class 3                                                                         | Class 5                                                                            | Full range |
|  Origin                            | N/A                         | N/A                                                                                 | China                                                                              | Full range |
|  Shade variation                   | N/A                         | N/A                                                                                 | V1                                                                                 | Full range |



# Packing Information

| Tile Description  |        | Quantity per Box | Quantity per m2 |         | Quantity per Pallet |       |
|-------------------|--------|------------------|-----------------|---------|---------------------|-------|
| Size (mm)         | Finish | Pieces           | Pieces          | Weight  | m2                  | Boxes |
| 200 x 200         | Matt   | 25               | 25.00           | 18.00kg | 75.00               | 75    |
| 200 x 100<br>Cove | Matt   | 11               | 40.00           | 18.00kg | N/A                 | 80    |



The data and information contained in these specification sheets are indicative only unless stated otherwise. As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.