

# Notion

The Notion Range is a basalt stone inspired glazed porcelain tile available in semi polished, matt and external finishes. The range is available in four colours – Carbon, Ice, Mica and Mist. Notion is suitable for wet and main living areas and is also rated for commercial use.


# Carbon




**300 x 300mm**  
52889 (in/out) P4  
51420 (semi polished)




**300 x 600mm**  
52890 (in/out) P4  
51419 (semi polished)



**600 x 600mm**  
52891 (in/out) P4  
51418 (semi polished)




**Herringbone**  
**294 x 302mm**  
actual coverage: 0.06sqm  
51927 (matt)




**Hex**  
**315 x 323mm**  
actual coverage: 0.09sqm  
51923 (matt)

# Ice



**300 x 300mm**  
52892 (in/out) P4  
51393 (semi polished)



**300 x 600mm**  
52893 (in/out) P4  
51392 (semi polished)




**600 x 600mm**  
52894 (in/out) P4  
51391 (semi polished)



**Herringbone**  
**294 x 302mm**  
actual coverage: 0.06sqm  
51926 (matt)



**Hex**  
**315 x 323mm**  
actual coverage: 0.09sqm  
51922 (matt)




# Mica




**300 x 300mm**  
52895 (in/out) P4  
51384 (semi polished)




**300 x 600mm**  
52896 (in/out) P4  
51383 (semi polished)



**600 x 600mm**  
52897 (in/out) P4  
51382 (semi polished)



**Herringbone**  
**294 x 302mm**  
actual coverage: 0.06sqm  
51928 (matt)



**Hex**  
**315 x 323mm**  
actual coverage: 0.09sqm  
51924 (matt)



# Mist




**300 x 300mm**  
52898 (in/out) P4  
51402 (semi polished)




**300 x 600mm**  
52899 (in/out) P4  
51401 (semi polished)



**600 x 600mm**  
52900 (in/out) P4  
51400 (semi polished)












**Herringbone**  
**294 x 302mm**  
actual coverage: 0.06sqm  
51929 (natt)



**Hex**  
**315 x 323mm**  
actual coverage: 0.09sqm  
51925 (natt)

# Technical Specification

Properties	Test Method	Required Value	Value	Applies to
 Water absorption	ASTM C373	≤ 0.5%	≤ 0.11%	Full range
 Breaking strength	ASTM C648	≥ 1100 N	≥ 2143 N	Full range
 Abrasion resistance	ASTM C1027	As reported	Class 3	Full range
 Slip resistance (oil wet ramp test)	AS 4586:2013	N/A	R10 - In/out	In/out
 Slip resistance (wet pendulum test)	AS 4586:2013	N/A	P4 - In/out	In/out
 Chemical resistance	ASTM C650	As reported	Class A	Full range
 Stain resistance	ASTM C1378	As reported	Class A	Full range
 Origin	N/A	N/A	China	Full range
 Shade variation	N/A	N/A	V2	Full range

# Packing Information

Tile description		Quantity per box	Quantity per m2		Quantity per pallet	
Size (mm)	Texture	Pieces	Pieces	Weight	m2	boxes
300 x 300	In/out Semi polished	11	11.11	22.22 kg	55.44	56
300 x 600	In/out Semi polished	8	5.56	22.60 kg	57.60	40
600 x 600	In/out Semi polished	4	2.78	22.22 kg	57.60	40
294 x 302 Herring Bone	Matt	10	16.66	1.50 kg	0.00	0
315 x 323 Hex	Matt	10	11.11	2.00 kg	0.00	0



*The data and information contained in these specification sheets are indicative only unless stated otherwise. As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.*