

Picasso



Shadow Grey



V2

P3




200 x 200mm
52273 (matt)

Great Dane Grey



V2

P3




200 x 200mm
52717 (matt)

Lantern White




200 x 200mm
51951 (matt)

Braga Black & White



200 x 200mm
51947 (matt)

Technical Specifications

Properties	Test Method	Required Value	Value	Applies to
 Water absorption	GB/T 4100-2015	$\leq 0.5\%$	2.20%	Full range
 Determination of dimensions	GB/T 4100-2015	≥ 1100 N	1585 N	Full range
 Breaking strength	GB/T 4100-2015	Minimum 35 MPa	38 MPa	Full range
 Abrasion resistance	GB/T 4100-2015	Class 3 min.	Class 3	Full range
 Chemical resistance	GB/T 4100-2015	Minimum UB	GA, GLA, GHA	Full range
 Stain resistance	GB/T 4100-2015	Minimum class 3	Class 5	Full range
 Origin	N/A	N/A	China	Full range
 Shade variation	N/A	N/A	V1	Full range



Packing Information

Tile Description		Quantity per Box	Quantity per m2		Quantity per Pallet	
Size (mm)	Finish	Pieces	Pieces	Weight	m2	Boxes
200 x 200	Matt	25	25.00	17.00kg	72.00	72



The data and information contained in these specification sheets are indicative only unless stated otherwise. As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.