



# Polished

# POLISHED

## COLOURS, FORMATS & FINISHES



Super White



Lily Bianco

Polished


|             |   |   |
|-------------|---|---|
| 600 x 600mm | ● | ● |
|-------------|---|---|

FINISH: **POLISHED** | CATEGORY: PORCELAIN TILES | EDGE DETAIL: RECTIFIED | V RATING: V1






V1



600 x 600mm  
51112 (polished)



V1



600 x 600mm  
51111 (polished)

# Technical Specifications

| Properties                                                                                                   | Test Method    | Required Value                                                                                                        | Value                                                                                        | Applies to  |
|--------------------------------------------------------------------------------------------------------------|----------------|-----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|-------------|
|  Water absorption            | GB/T 4100-2015 | $\leq 0.5\%$                                                                                                          | 0.06%                                                                                        | Full range  |
|  Determination of dimensions | GB/T 4100-2015 | Length and width $\pm 1.0\%$<br>Thickness $\pm 5.00\%$<br>Edge straightness $\pm 0.2\%$<br>Surface flatness $\pm 2\%$ | Length and width 0.3%<br>Thickness 0.2%<br>Edge straightness 0.26%<br>Surface flatness 0.27% | Full range  |
|  Breaking strength           | GB/T 4100-2015 | $\geq 1300$ N                                                                                                         | 1667 N                                                                                       | Full range  |
|  Modulus of rupture          | GB/T 4100-2015 | Minimum 35 MPa                                                                                                        | 38 Mpa                                                                                       | Full range  |
|  Abrasion resistance         | GB/T 4100-2015 | $\leq 175\text{mm}^3$                                                                                                 | 113mm <sup>3</sup>                                                                           | Full range  |
|  Chemical resistance       | GB/T 4100-2015 | Minimum UB                                                                                                            | Class UA                                                                                     | Full range  |
|  Origin                    | N/A            | N/A                                                                                                                   | China                                                                                        | Full range  |
|  Shade variation           | N/A            | N/A                                                                                                                   | V2 - Lily Bianco                                                                             | Lily Bianco |



# Packing Information

| Tile Description |          | Quantity per Box | Quantity per m2 |         | Quantity per Pallet |       |
|------------------|----------|------------------|-----------------|---------|---------------------|-------|
| Size (mm)        | Finish   | Pieces           | Pieces          | Weight  | m2                  | Boxes |
| 600 x 600        | Polished | 4                | 2.78            | 21.00kg | 57.60               | 40    |



The data and information contained in these specification sheets are indicative only unless stated otherwise. As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.