

Reverso



REVERSO

COLOURS, FORMATS & FINISHES



Matt | P3

	White	Avorio	Beige	Silver	Grigio	Black
600 x 1200mm	●					
450 x 900mm	●					
300 x 600mm	●	●	●	●	●	●

Textured | P5

600 x 1200mm	●					
--------------	---	--	--	--	--	--

FINISH: **MATT** | CATEGORY: PORCELAIN TILES | EDGE DETAIL: RECTIFIED | V RATING: V3
FINISH: **TEXTURED** | CATEGORY: PORCELAIN TILES | EDGE DETAIL: RECTIFIED | V RATING: V3





White


V3
P3 P5



300 x 600mm
51438 (matt)



450 x 900mm
51439 (matt)



600 x 1200mm
53569 (matt)
53967 (textured)



Avorio


V3
P3



300 x 600mm
51253 (matt)

Beige


V3
P3



300 x 600mm
51257 (matt)

Silver

V3
P3




300 x 600mm
51434 (matt)

Grigio



V3

P3




300 x 600mm
51261 (matt)

Black



V3

P3



300 x 600mm
51442 (matt)

Technical Specifications

Properties	Test Method	Required Value	Value	Applies to
 Water absorption	ISO 10545-3	$\leq 0.5\%$	0.03%	Full range
 Determination of dimensions	ISO 10545-2	Length and width 0.6% Thickness 0.5% Edge straightness 0.5% Surface flatness 0.5%	Complies with standards	Full range
 Breaking strength	ISO 10545-4	≥ 1300 N	Complies with standards	Full range
 Abrasion resistance	ISO 10545-6	$\leq 175\text{mm}^3$	150mm ³	Full range
 Slip resistance (wet pendulum test)	AS 4586:2013	N/A	P2 - Natural P5 - Textured	Matt, Textured
 Chemical resistance	ISO 10545-13	Minimum UB	ULA class	Full range
 Origin	N/A	N/A	Italy	Full range
 Shade variation	N/A	N/A	V3	Full range



Packing Information

Tile Description		Quantity per Box	Quantity per m2		Quantity per Pallet	
Size (mm)	Finish	Pieces	Pieces	Weight	m2	Boxes
300 x 600	Matt	6	5.56	20.10kg	43.20	40
450 x 900	Matt	3	2.47	21.80kg	38.88	32
600 x 1200	Matt Textured	2	1.39	22.43kg	50.40	35



The data and information contained in these specification sheets are indicative only unless stated otherwise. As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.