


Osaka



GLACE

COLOURS, FORMATS & FINISHES



Gloss	Bianco	Mastice	Avio	Muschio	Turchese	Blu Notte
75 x 200mm	●	●	●	●	●	●
75 x 200mm 3D	●	●	●	●	●	●

FINISH: **GLOSS** | CATEGORY: PORCELAIN TILES | EDGE DETAIL: UNRECTIFIED | V RATING: V2





Bianco

V2



75x200mm Linear
54758 (gloss wall)



75x200mm
54752 (gloss wall)



Mastice

V2



75x200mm Linear
54759 (gloss wall)




75x200mm
54754 (gloss wall)

Avio



V2



75x200mm Linear
54771 (gloss wall)




75x200mm
54753 (gloss wall)

Muschio



V2




75x200mm Linear
54760 (gloss wall)



75x200mm
54755 (gloss wall)

Turchese



75x200mm Linear
54772 (gloss wall)




75x200mm
54756 (gloss wall)

Blu Notte




75x200mm Linear
54761 (gloss wall)



75x200mm
54757 (gloss wall)

Technical Specifications

Properties	Test Method	Required Value	Value	Applies to
 Water absorption	ISO 10545-3	$\leq 0.5\%$	$< 0.5\%$	Full range
 Determination of dimensions	ISO 10545-2	Length and width 0.6% Thickness 0.5% Edge straightness 0.5% Surface flatness 0.5%	Length and width $\pm 0.2\%$ Thickness $\pm 5.00\%$ Transmutation $\pm 0.8\%$	Full range
 Breaking strength	ISO 10545-4	≥ 1300 N	Complies with standards	Full range
 Modulus of rupture	ISO 10545-4	≥ 35 N/mm	Complies with standards	Full range
 Chemical resistance	ISO 10545-13	Minimum UB	Complies with standards	Full range
 Stain resistance	ISO 10545-14	Class 3 min.	Class 5	Full range
 Origin	N/A	N/A	Italy	Full range
 Shade variation	N/A	N/A	V2	Full range



Packing Information

Tile Description		Quantity per Box	Quantity per m2		Quantity per Pallet	
Size (mm)	Finish	Pieces	Pieces	Weight	m2	Boxes
75 x 200	Gloss	56	66.67	18.18kg	63.84	76
75 x 200 - 3D	Gloss	52	66.67	21.28kg	46.80	60



The data and information contained in these specification sheets are indicative only unless stated otherwise. As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.