






75 x 150mm 51050 (gloss wall)

75 x 300mm 51056 (gloss wall)



75 x 150mm 51053 (gloss wall)

75 x 300mm 51059 (gloss wall)



75 x 150mm 51049 (gloss wall)

75 x 300mm 51055 (gloss wall)



75 x 300mm 51057 (gloss wall)



75 x 150mm 51052 (gloss wall)

75 x 300mm 51058 (gloss wall)



75 x 150mm 51048 (gloss wall) 51223 (matt wall)

75 x 300mm 51054 (gloss wall) 51220 (matt wall)



Technical Specification

Properties	Test Method	Required Value	Value	Applies to
Water absorption	ASTM C373	≤ 20.0%	≤ 15.0%	Full range
Determination of dimensions	ASTM C485	Length and width 0.40%	Length 0.07% Width 0.03%	Full range
Chemical resistance	ASTM C650	Class B min.	Class A	Full range
Stain resistance	ASTM C1378	Class B min.	Class A	Full range
Origin	N/A	N/A	China	Full range
Shade variation	N/A	N/A	V1	Full range



Packing Information

Tile description		Quantity per box	Quantity per m2		Quantity per pallet	
Size (mm)	Texture	Pieces	Pieces	Weight	m2	boxes
75 x 150	Gloss Matt	88	88.89	16.20 kg	79.20	80
75 x 300	Gloss Matt	44	44.44	16.20 kg	79.20	80



As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose.

To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet.

No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.

