

Marilyn

MARILYN

COLOURS, FORMATS & FINISHES

												
GLOSS	Cloud	Mist	Sand	Smoke	Tide	Blue	Turquoise	Blush	Ocean	Forest	Charcoal	Black
75 x 300mm	•	•	•	•	•	•	•	•	•	•	•	•
MATT												
75 x 300mm	•											•

FINISH: **GLOSS** | CATEGORY: CERAMIC WALL TILES | EDGE DETAIL: UNRECTIFIED | V RATING: V1
FINISH: **MATT** | CATEGORY: CERAMIC WALL TILES | EDGE DETAIL: UNRECTIFIED | V RATING: V1



Colour variation is an inherent property of all kiln-fired products. Tiles supplied may vary from samples provided. All slip ratings are provided subject to the guidelines outlined in our terms and conditions.



V1



75 x 300mm
51636 (gloss wall)
51638 (matt wall)



V1



75 x 300mm
51640 (gloss wall)

Sand




75 x 300mm
51642 (gloss wall)


Smoke



75 x 300mm
51641 (gloss wall)



75 x 300mm
51644 (gloss wall)



75 x 300mm
51768 (gloss wall)

Turquoise




75 x 300mm
53808 (gloss wall)

Blush



75 x 300mm
53810 (gloss wall)



75 x 300mm
52252 (gloss wall)



75 x 300mm
53811 (gloss wall)

Charcoal




V1



75 x 300mm
52253 (gloss wall)

Black



V1



75 x 300mm
53812 (gloss wall)
53813 (matt wall)

Technical Specifications

Properties	Test Method	Required Value	Value	Applies to
 Water absorption	ASTM C373	$\leq 20.00\%$	$\leq 16.70\%$	Full range
 Determination of dimensions	ASTM C499	$\leq 0.79\text{mm}$	$\leq 0.5\text{mm}$	Full range
 Breaking strength	ASTM C648	$\geq 550\text{ N}$	$\geq 1340\text{ N}$	Full range
 Abrasion resistance	ASTM C1027	As reported	Class 3	Full range
 Chemical resistance	ASTM C1027	Class B min.	Class A	Full range
 Origin	N/A	N/A	China	Full range
 Shade variation	N/A	N/A	V1	Full range



Packing Information

Tile Description		Quantity per Box	Quantity per m2		Quantity per Pallet	
Size (mm)	Finish	Pieces	Pieces	Weight	m2	Boxes
75 x 300	Matt Gloss	44	44.44	18.00kg	79.20	80



The data and information contained in these specification sheets are indicative only unless stated otherwise. As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.