




Terrazzo

Replicating the look of Terrazzo using the latest in digital printing technology, this glazed porcelain range offers the look of Terrazzo without the associated maintenance. The range provides superior performance and no sealing, and is suitable for all internal applications including wet areas. Available in 3 colorways - dark grey, grey and light grey - and sizes of 300 x 300mm, 300 x 600mm and 600 x 600mm all in a matt finish.


Dark Grey



300 x 300mm
52509 (matt) P3




300 x 600mm
52508 (matt) P3




600 x 600mm
52507 (matt) P3

Grey



300 x 300mm
52502 (matt) P3



300 x 600mm
52501 (matt) P3



600 x 600mm
52500 (matt) P3



Light Grey



300 x 300mm
52506 (matt) P3



300 x 600mm
52505 (matt) P3



600 x 600mm
52504 (matt) P3



Technical Specification

	Properties	Test Method	Required Value	Value	Applies to
	Water absorption	EN ISO 10545-3	$\leq 0.5\%$	0.21%	Full range
	Determination of dimensions	EN ISO 10545-2	Length and width $\pm 0.6\%$ Thickness $\pm 5.00\%$ Edge straightness $\pm 0.5\%$ Surface flatness $\pm 5\%$	Length and width 0.02% Thickness 2.9% Edge straightness 0.6% Surface flatness 0.3%	Full range
	Breaking strength	EN ISO 10545-4	≥ 1300 N	2052 N	Full range
	Modulus of rupture	EN ISO 10545-4	Minimum 35 MPa	39.7	Full range
	Abrasion resistance	EN ISO 10545-7	Report abrasion class	Class 2	Full range
	Slip resistance (wet pendulum test)	AS 4586-2013	N/A	P3	Matt
	Chemical resistance	EN ISO 10545-13	Minimum class B	GA, GLA, GHA	Full range
	Stain resistance	EN ISO 10545-14	Minimum class 3	Class 5	Full range
	Origin	N/A	N/A	China	Full range
	Shade variation	N/A	N/A	V2	Full range

Packing Information

Tile description		Quantity per box	Quantity per m2		Quantity per pallet	
Size (mm)	Texture	Pieces	Pieces	Weight	m2	boxes
300 x 300	Matt	11	11.11	21.50 kg	55.44	56
300 x 600	Matt	8	5.56	21.50 kg	57.60	40
600 x 600	Matt	4	2.78	21.50 kg	57.60	40



The data and information contained in these specification sheets are indicative only unless stated otherwise.

As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.