



ART TERRAZZO

COLOURS





Light Grey


White


FORMATS













600 x 600mm

FINISH: ${\bf MATT}$ | CATEGORY: PORCELAIN TILES | EDGE DETAIL: RECTIFIED | V RATING: V2 FINISH: **HONED** | CATEGORY: PORCELAIN TILES | EDGE DETAIL: RECTIFIED | V RATING: V2







300 x 300mm 53334 (matt) P3



300 x 600mm 53335 (matt) P3 53337 (semi-polished)



600 x 600mm 53336 (matt) P3 53338 (semi polished)



Brick 300 x 600mm 1 sheet = 0.18sqm 53462 (matt)



Chevron 300 x 600mm 1 sheet = 0.1525sqm 53458 (matt)





300 x 300mm 53329 (matt) P3



300 x 600mm 53330 (matt) P3 53332 (semi-polished)



600 x 600mm 53331 (matt) P3 53333 (semi polished)



Brick 300 x 600mm 1 sheet = 0.18sqm 53461 (matt)



Chevron 300 x 600mm 1 sheet = 0.1525sqm 53457 (matt)



Technical Specification

	Properties	Test Method	Required Value	Value	Applies to
	Water absorption	ASTM C373	≤ 0.5%	≤ 0.11%	Full range
Å	Breaking strength	ASTM C648	≽ 1100 N	≽ 2143 N	Full range
0	Abrasion resistance	ASTM C1027	As reported	Class 3	Full range
*E	Slip resistance (oil wet ramp test)	AS 4586:2013	N/A	R10 - In/out	In/out
\$	Slip resistance (wet pendulum test)	AS 4586:2013	N/A	P4 - In/out	In/out
	Chemical resistance	ASTM C650	As reported	Class A	Full range
*	Stain resistance	ASTM C1378	As reported	Class A	Full range
	Origin	N/A	N/A	China	Full range
	Shade variation	N/A	N/A	V2	Full range



Packing Information

Tile description		Quantity per box	Quantity per m2		Quantity per pallet	
Size (mm)	Texture	Pieces	Pieces	Weight	m2	boxes
300 x 300	Matt	11	11.11	22.22 kg	55.44	56
300 x 600	Matt Semi polished	8	5.56	22.22 kg	57.60	40
600 x 600	Matt Semi polished	4	2.78	22.22 kg	57.60	40
300 x 600 Bricks	Matt	8	5.56	31.20 kg	64.51	48
300 x 600 Chevron	Matt	8	-	2.30 kg	-	40



The data and information contained in these specification sheets are indicative only unless stated otherwise.

As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation.

The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose.

To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet.

No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.

