

Bowral

The Bowral range is an Australian-made glazed tile reminiscent of cement and encaustic tiles. Available in White in 300 x 300mm matt finish, with a P3 rating. Bowral is suitable for both wall and floor applications including wet areas. Bowral can be used to create that striking feature in both residential and commercial environments.

BOWRAL

COLOURS



White

FORMATS



300 x 300mm

FINISH: **MATT** | CATEGORY: GLAZED FLOOR TILES | EDGE DETAIL: UNRECTIFIED | V RATING: V1











White



300 x 300mm
53547 (matt) P3

Technical Specification

	Properties	Test Method	Required Value	Value	Applies to
	Water absorption	AU ISO 13006-2020	N/A	$\leq 3\%$	Full range
	Determination of dimensions	AU ISO 13006-2020	Length and width $\pm 2.0\text{mm}$ Thickness $\pm 0.5\text{mm}$ Edge straightness $\pm 1.5\text{mm}$ Surface flatness $\pm 2\text{mm}$	Length and width 0.5mm Thickness 0.5mm Edge straightness 0.5mm Surface flatness 0.5mm	Full range
	Modulus of rupture	AU ISO 13006-2020	$\geq 30 \text{ N/mm}^2$	$\geq 30 \text{ N/mm}^2$	Full range
	Abrasion resistance	AU ISO 13006-2020	N/A	PEI 3 min.	Full range
	Slip resistance (wet pendulum test)	AU ISO 13006-2020	N/A	P3	Full range
	Chemical resistance	AU ISO 13006-2020	N/A	Class A	Full range
	Stain resistance	AU ISO 13006-2020	Class 3 min.	Class 4 min.	Full range
	Origin	N/A	N/A	Australia	Full range
	Shade variation	N/A	N/A	V1	Full range

Packing Information

Tile description		Quantityper box	Quantity per m2		Quantity per pallet	
Size (mm)	Texture	Pieces	Pieces	Weight	m2	boxes
300 x 300	Matt	22	11.11	14.05 kg	95.04	48



The data and information contained in these specification sheets are indicative only unless stated otherwise. As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.