







450 x 450mm 53521 (textured) P5





450 x 450mm 53524 (textured) P5







450 x 450mm 53522 (textured) P5



Technical Specification

	Properties	Test Method	Required Value	Value	Applies to
	Water absorption	UNE-EN ISO 10545-3	AA<0.5%	Complies with standards	Full range
Î	Determination of dimensions	UNE-EN ISO 10545-2	Length and width ± 0.5% Thickness ± 5.00% Edge straightness ± 0.5% Surface flatness ± 5%	Length and width 0.5% Thickness 5.0% Edge straightness 0.6% Surface flatness 0.5%	Full range
	Breaking strength	UNE-EN ISO 10545-4	≥1300N	Complies with standards	Full range
	Modulus of rupture	UNE-EN ISO 10545-4	≥35N/mm2	Complies with standards	Full range
	Abrasion resistance	UNE-EN ISO 10545-7	PEHV	Complies with standards	Full range
K	Slip resistance (wet pendulum test)	Wet pendulum test	N/A	P5	Full range
	Chemical resistance	UNE-EN ISO 10545-13	GB min	Complies with standards	Full range
	Stain resistance	UNE-EN ISO 10545-14	Class 3 min.	Complies with standards	Full range
	Origin	N/A	N/A	Spain	Full range
	Shade variation	N/A	N/A	N/A	Full range



Packing Information

Tile description		Quantity per box	Quantity per m2		Quantity per pallet	
Size (mm)	Texture	Pieces	Pieces	Weight	m2	boxes
450 x 450	Textured	7	4.93	25.96 kg	73.84	52



As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose.

To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet.

No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.

