







300 x 300mm 53543 (matt) P3



450 x 450mm 53544 (matt) P3 53545 (textured) P3



600 x 600mm 53546 (matt) P3





300 x 300mm 50567 (matt) P3



450 x 450mm 50574 (matt) P3 50946 (textured) P3



600 x 600mm 52919 (matt) P3





300 x 300mm 50570 (matt) P3



450 x 450mm 50579 (matt) P3 50580 (textured) P3





300 x 300mm 50566 (matt) P3



450 x 450mm 50572 (matt) P3 50573 (textured) P3



600 x 600mm 52918 (matt) P3







300 x 300mm 50569 (matt) P3



450 x 450mm 50577 (matt) P3 50578 (textured) P3





300 x 300mm 50565 (matt) P3



450 x 450mm 50571 (matt) P3 51709 (textured) P3



600 x 600mm 52917 (matt) P3

Technical Specification

	Properties	Test Method	Required Value	Value	Applies to
	Water absorption	ISO 10545-3	≤ 0.5%	≤ 3%	All finishes
	Determination of dimensions	ISO 10545-2	Length and width ± 0.5% Thickness ± 5.00% Edge straightness ± 0.5% Surface flatness ± 5%	Length and width 0.5% Thickness 5.0% Edge straightness 0.6% Surface flatness 0.5%	All finishes
	Modulus of rupture	ISO 10545-4	≥ 12 N/mm	30 N/mm	All finishes
0	Abrasion resistance	ISO 10545-6	Class 3 min	Complies with standards	All finishes
K	Slip resistance (wet pendulum test)	Wet pendulum test	N/A	P3	Matt, Textured
	Chemical resistance	ISO 10545-13	GB min.	Complies with standards	All finishes
	Stain resistance	ISO 10545-14	Class 3 min.	Complies with standards	All finishes
	Origin	N/A	N/A	Australia	Full range
	Shade variation	N/A	N/A	V2	Full range



Packing Information

Tile description		Quantity per box	Quantity per m2		Quantity per pallet	
Size (mm)	Texture	Pieces	Pieces	Weight	m2	boxes
300 x 300 Black, Latte, White	Matt	22	11.11	14.05 kg	95.04	48
300 x 300 Ash, Beige, Grey	Matt	16	11.11	14.05 kg	92.16	64
450 x 450	Matt Textured	7	4.93	16.74 kg	113.60	80
600 x 600	Matt	4	2.78	19.97 kg	69.12	48



As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose.

To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet.

No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.

