

Origin

The Origin range deliver a natural, rustic aesthetic. Designed for both internal and external use, it's suitable for flooring and wall cladding applications, offering texture and tone that capture the strength and character of natural stone. Available in 6 colourways, Origin creates a standout design feature in any space.

This beautiful 440 × 600mm flagstone-format tile features an interlocking design that flows effortlessly from indoors to out, creating a seamless, natural look that elevates any space.



Origin

COLOURS, FORMATS & FINISHES



White




Sand



Natural



Terra



Grey



Charcoal

TEXTURED | P5

400 x 660mm
Flagstone

•	•	•	•	•	•
---	---	---	---	---	---

FINISH: **TEXTURED** | CATEGORY: PORCELAIN TILES | EDGE DETAIL: UNRECTIFIED | V RATING: V2





White

V2
P5



440 x 660mm
53648 (textured)



Sand

V2
P5




440 x 660mm
53638 (textured)



Natural



440 x 660mm
53640 (textured)



Terra



440 x 660mm
53644 (textured)



Grey

V2

P5



440 x 660mm
53639 (textured)



Charcoal











V2

P5



440 x 660mm
53642 (textured)

Technical Specifications

Properties	Test Method	Required Value	Value	Applies to
 Water absorption	ISO 10545-3	$\leq 0.5\%$	$\leq 0.10\%$	Full range
 Determination of dimensions	ISO 10545-2	Length and width 0.6% Thickness 0.5% Edge straightness 0.5% Surface flatness 0.5%	Complies with standards	Full range
 Breaking strength	ISO 10545-4	≥ 1300 N	Complies with standards	Full range
 Abrasion resistance	ISO 10545-6	Max 175mm ³	Complies with standards	Full range
 Slip resistance (wet pendulum test)	Wet Pendulum Test	N/A	P5	Textured
 Slip resistance (oil wet ramp test)	DIN 51130	N/A	R12	Full range
 Chemical resistance	ISO 10545-13	Minimum UB	Complies with standards	Full range
 Stain resistance	N/A	N/A	N/A	Full range
 Origin	N/A	N/A	Spain	Full range
 Shade variation	N/A	N/A	V3	Full range



Packing Information

Tile Description		Quantity per Box	Quantity per m2		Quantity per Pallet	
Size (mm)	Finish	Pieces	Pieces	Weight	m2	Boxes
440 x 660 Flagstone	Textured	4	3.42	24.00kg	56.16	48



The data and information contained in these specification sheets are indicative only unless stated otherwise. As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.