

Sella

The on-trend, crazy pave look of the Sella range, recreates a sense of rustic style. Suitable for both Internal and external use with flooring, wall cladding applications. Sella is a design that conveys all of nature's strength through its texture and tone. Available in White, Grey and Natural, Sella is perfect for your next Installation design feature.



White



440 x 660mm
53638 (textured) P5



Grey



440 x 660mm
53639 (textured) P5

Natural



440 x 660mm
53640 (textured) P5

Technical Specification

Properties	Test Method	Required Value	Value	Applies to
 Water absorption	ISO 10545-3	≤ 0.5%	0.10%	Full range
 Determination of dimensions	ISO 10545-2	Length and width 0.6% Thickness 0.5% Edge straightness 0.5% Surface flatness 0.5%	Complies with standards	Full range
 Breaking strength	ISO 10545-4	≥ 1300 N	Complies with standards	Full range
 Modulus of rupture	ISO 10545-4	≥ 35 N/mm	45.6 N/mm	Full range
 Abrasion resistance	ISO 10545-6	Max 175mm ³	Complies with standards	Full range
 Slip resistance (oil wet ramp test)	DIN 51130	N/A	R12	Full range
 Slip resistance (wet pendulum test)	Wet pendulum test	N/A	P5	Full range
 Chemical resistance	ISO 10545-13	Minimum UB	Complies with standards	Full range
 Origin	N/A	N/A	Spain	Full range
 Shade variation	N/A	N/A	V3	Full range

Packing Information

Tile description		Quantity per box	Quantity per m2		Quantity per pallet	
Size (mm)	Texture	Pieces	Pieces	Weight	m2	boxes
440 x 660	Textured	4	3.42	24 kg	56.16	48



The data and information contained in these specification sheets are indicative only unless stated otherwise. As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.