## Signature

The Signature Stone tile range has an aesthetic that is able to be perfectly integrated into any modern project thanks to the properties of porcelain stoneware. <u>The Beios</u> Grav and White colour shades are available in 300 × 600 nm 600 × 600 nm, 600 × 900 nm, 900 × 900 nm, 900 × 900 nm 2cm thick and 600 × 1200 nm formats. Also available are 75 × 600 nm chevron, 300 × 300 nm Mosaico Mix , 300 × 300 nm Mosaico Anticato and 322 × 368 nm Mosaico Star sizes. Suitable for many applications, the Signature Stone range provides all the charm of stone that has been shaped b the elements and time.



Where style comes to life







300 x 300mm Mosaico Mix (indent option available) (indent option available) 53787 (matt) P3

75 x 600mm Chevron (indent option available) 53786 (matt) P3



300 x 600mm 53599 (matt) P3



600 x 600mm 53596 (matt) P3



600 x 900mm (indent option available) 53785 (matt) P3



900 x 900mm (indent option available) 53783 (matt) P3 53784 (matt 2cm thick) P3



600 x 1200mm 53593 (matt) P3



300 x 300mm Mosaico Anticato 53788 (matt) P3



322 x 368mm Mosaico Star (indent option available) 53802 (matt) P3







300 x 300mm Mosaico Mix (indent option available) (indent option available) 53799 (matt) P3



(indent option available) 53798 (matt) P3



300 x 600mm 53601 (matt) P3



600 x 600mm 53598 (matt) P3



600 x 900mm (indent option available) 53797 (matt) P3



900 x 900mm (indent option available) 53795 (matt) P3 53796 (matt 2cm thick) P3



600 x 1200mm 53595 (matt) P3





53800 (matt) P3

322 x 368mm Mosaico Star

(indent option available) 53801 (matt) P3

300 x 300mm

Mosaico Anticato





300 x 300mm Mosaico Mix (indent option available) (indent option available) 53793 (matt) P3

300 x 300mm Mosaico Anticato 53794 (matt) P3

75 x 600mm Chevron (indent option available) 53792 (matt) P3



300 x 600mm 53600 (matt) P3



600 x 600mm 53597 (matt) P3

600 x 900mm (indent option available) 53791 (matt) P3



900 x 900mm (indent option available) 53789 (matt) P3 53790 (matt 2cm thick) P3



600 x 1200mm 53594 (matt) P3



## **Technical Specification**

Properties	Test Method	Required Value	Value	Applies to
Water absorption	ISO 10545 - 3	≤ 0,5%	Complies with standards	Full range
Modulus of rupture	ISO 10545 - 4	≥ 35 N/mm	Complies with standards	Full range
Abrasion resistance	ISO 10545 - 7	PEI IV	Complies with standards	Full range
Slip resistance (wet pendulum test)	AS 4586-2013	N/A	P3	Full range
Chemical resistance	ISO 10545 - 13	Resists	Complies with standards	Full range
Stain resistance	ISO 10545 - 14	Complete	Complies with standards	Full range
Origin	N/A	N/A	Italy	Full range
Shade variation	N/A	N/A	V4 V3 V2	Beige Mosaico Star Grey Mosaico Star Rest of the range



1300 265 678 www.colortile.com.au

## **Packing Information**

Tile description		Quantity per box	Quantity per m2		Quantity per pallet	
Size (mm)	Texture	Pieces	Pieces	Weight	m2	boxes
300 x 300mm Mosaico Mix*	Matt	4	N/A	N/A	N/A	N/A
300 x 300mm Mosaico Anticato*	Matt	4	N/A	N/A	N/A	N/A
322 x 368mm Mosaico Star*	Matt	N/A	N/A	N/A	N/A	N/A
75 x 600mm Chevron*	Matt	12	N/A	N/A	48.00	N/A
300 x 600mm	Matt	5	5.56	21.78 kg	43.20	48
600 x 600mm	Matt	4	2.78	21.88 kg	43.20	30
600 x 900mm*	Matt	N/A	1.85	N/A	N/A	N/A
900 x 900mm*	Matt	2	1.23	33.40 kg	32.40	20
900 x 900mm 2cm thick*	Matt	1	1.23	36.70 kg	24.30	30
600 x 1200mm	Matt	2	1.39	21.82 kg	51.84	36

\* Indent item

The data and information contained in these specification sheets are indicative only unless stated otherwise.

As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.



1300 265 678 www.colortile.com.au