

Treverkmore

The Treverkmore range is part of our advanced tile technology range, and is the outcome of an inspired combination, the elegance of wood and the simplicity of stoneware. This range offers three colours, to give life to naturally welcoming moods, in a collection that gains individuality from its high degree of shade variation and rich surface patterning. The range also comes in a matching external finish allowing flow throughout your home.

Almond



200 x 1200mm
51718 (matt)
51723 (textured) P5

Coffee



200 x 1200mm
51721 (matt)
51726 (textured) P5



Oak



200 x 1200mm
51720 (matt)
51725 (textured) P5

Technical Specification

	Properties	Test Method	Required Value	Value	Applies to
	Water absorption	ISO 10545-3	$\leq 0.5\%$	$\leq 0.06\%$	Full range
	Determination of dimensions	ISO 10545-2	Length and width $\pm 2.00\%$ Thickness $\pm 5.00\%$ Edge straightness $\pm 0.5\%$ Surface flatness $\pm 0.5\%$	Length and width $\pm .06\%$ Thickness $\pm 5.00\%$ Edge straightness $\pm 0.5\%$ Surface flatness $\pm 0.5\%$	Full range
	Breaking strength	ISO 10545-4	≥ 1300 N	Complies with standards	Full range
	Modulus of rupture	ISO 10545-4	≥ 35 N/mm	Complies with standards	Full range
	Abrasion resistance	ISO 10545-6	≤ 175 mm ³	120-150mm ³	Full range
	Slip resistance (oil wet ramp test)	DIN 51130	N/A	R9 – Natural R13 – Textured	Full range
	Slip resistance (wet pendulum test)	Wet pendulum test	N/A	P5 – Textured	Textured
	Chemical resistance	EN ISO 10545-13	Minimum class B	UA, ULA, ULB, UHA,UHB	Full range
	Stain resistance	EN ISO 10545-14	Minimum class 3	Class 5	Full range
	Origin	N/A	N/A	Italy	Full range
	Shade variation	N/A	N/A	V3	Full range

Packing Information

Tile description		Quantity per box	Quantity per m2		Quantity per pallet	
Size (mm)	Texture	Pieces	Pieces	Weight	m2	boxes
200 x 1200	Matt Textured	4	4.17	21.63 kg	38.40	40



The data and information contained in these specification sheets are indicative only unless stated otherwise.

As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation.

The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose.

To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet.

No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.