

# Ever

The Ever range offers the natural look of timber without the ongoing maintenance. These digitally printed glazed tiles provide superior performance and easy cleaning solutions. Available in four colorways Charcoal, Grey, Walnut and Oak and in a 200 x 1200mm rectified edge format. The Ever range is suitable for all internal applications, including wet areas.





# Charcoal



200 x 1200mm  
52272 (matt)

# Grey



200 x 1200mm  
52271 (matt)



Oak



200 x 1200mm  
52269 (matt)



Walnut



200 x 1200mm  
52270 (matt)

# Technical Specification

	Properties	Test Method	Required Value	Value	Applies to
	Water absorption	ISO 10545-3	$\leq 0.5\%$	0.09%	Full range
	Determination of dimensions	ISO 10545-2	Length and width $\pm 0.5\%$ Thickness $\pm 5.00\%$	Length 0.02% Width 0.11% Thickness 1.4%	Full range
	Breaking strength	ISO 10545-4	$\geq 1300$ N	1940 N	Full range
	Modulus of rupture	ISO 10545-4	Minimum 35 MPa	44.4 MPa	Full range
	Abrasion resistance	ISO 10545-6	Class 3 min	Class 3	Full range
	Slip resistance (oil wet ramp test)	Oil wet ramp test	N/A	R10	Full range
	Chemical resistance	ISO 10545-13	GB min.	A, LA, HA	Full range
	Stain resistance	ISO 10545-14	Class 3 min.	Class 5	Full range
	Origin	N/A	N/A	China	Full range
	Shade variation	N/A	N/A	V4	Full range



# Packing Information

Tile description		Quantity per box	Quantity per m2		Quantity per pallet	
Size (mm)	Texture	Pieces	Pieces	Weight	m2	boxes
200 x 1200	Matt - Charcoal	8	4.17	18.50 kg	63.36	33
200 x 1200	Matt - Grey, Oak, Walnut	8	4.17	18.50 kg	71.04	37



The data and information contained in these specification sheets are indicative only unless stated otherwise.  
As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation.  
The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose.  
To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet.  
No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.