

Invictus

The Invictus range is a hard-wearing porcelain tile showcasing the beauty of travertine without its associated maintenance. Classical and sophisticated, the range brings character and interest to its space.

Available in four colourways – White, Pearl, Ivory and Beige – and in two contemporary formats 300 x 600mm and 600 x 1200mm as well as three different finishes – Matt, Textured and Rigato – the range is suitable for internal use, including wet areas.

Beige




300 x 600mm
53941 (matt) P2



600 x 1200mm
53938 (matt) P2
53939 (textured) P5
53940 (rigato) P2

Ivory



300 x 600mm
53945 (matt) P2



600 x 1200mm
53942 (matt) P2
53943 (textured) P5
53944 (rigato) P2




Pearl



300 x 600mm
53970 (matt) P2



600 x 1200mm
53971 (matt) P2
53972 (textured) P5
53973 (rigato) P2



White



300 x 600mm
53949 (matt) P2



600 x 1200mm
53946 (matt) P2
53947 (textured) P5
53948 (rigato) P2

Technical Specification

Properties	Test Method	Required Value	Value	Applies to
 Water absorption	EN ISO 10545-3	≤ 0.5%	≤ 0.1%	Full range
 Determination of dimensions	EN ISO 10545-2	Length and width ± 0.6% Thickness ± 5.00% Transmutation ± 0.5%	Compliant	Full range
 Breaking strength	EN ISO 10545-4	≥ 1300 N	Compliant	Full range
 Modulus of rupture	EN ISO 10545-4	≥ 35 N/mm ²	Compliant	Full range
 Slip resistance (oil wet ramp test)	DIN 51130	N/A	R10 R11	Matt Textured
 Chemical resistance	EN ISO 10545-13	Min. GB	Compliant	Full range
 Stain resistance	EN ISO 10545-14	Min class 3	Compliant	Full range
 Origin	N/A	N/A	Italy	Full range
 Shade variation	N/A	N/A	V2	Full range

Packing Information

Tile description		Quantity per box	Quantity per m2		Quantity per pallet	
Size (mm)	Texture	Pieces	Pieces	Weight	m2	boxes
300 x 600	Matt	7	5.56	19.70	50.40	40
600 x 1200	Matt Textured	2	1.39	19.70	46.08	32
600 x 1200	Rigato	2	1.39	19.70	34.56	32



The data and information contained in these specification sheets are indicative only unless stated otherwise. As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.