Tundra

The look of Tundra is a timeless staple. Our Tundra range gives you the beauty of natural marble, without any of the associated maintenance, making this the perfect choice for classic, coastal and modern styles alike. Available in 3 colourways and 4 different sizes, there is a Tundra available for every need.



Where style comes to life







300 x 300mm 53186 (in/out)



600 x 300mm 53182 (in/out)



600 x 600mm 53178 (in/out)



600 x 1200mm 53779 (in/out)



300 x 300mm 53183 (in/out)



600 x 300mm 53179 (in/out)



600 x 600mm 53175 (in/out)



600 x 1200mm 53781 (in/out)







300 x 300mm 53185 (in/out)



600 x 300mm 53181 (in/out)



600 x 600mm 53177 (in/out)



600 x 1200mm 53780 (in/out)



Technical Specification

Properties		Test Method	Required Value	Value	
	Determination of dimensions	GBT 38102.2016	Length and width ± 0.6% Thickness ± 5.00% Edge straightness ± 0.5% Surface flatness ± 0.5%	Length and width ± 0.01% Thickness ± 1.00% Edge straightness ± 0.01% Surface flatness ± 0.07%	
	Water absorption	GBT 38103.2016	≥ 0.5%	≥ 0.8%	
	Breaking strength	GBT 38104.2016	Min. 1300 N	1779 N	
	Modulus of rupture	GBT 38104.2016	Min. 30 N/mm²	≥ 31.3 N/mm²	
	Abrasion resistance	GBT 38107.2016	Report abrasion class	Class 3	
	Chemical resistance	ISO 10545-13	Min. UB	GA, GLA, GHA	
	Stain resistance	ISO 10545-14	Min class 3	Class 5	
	Origin	N/A	N/A	China	
	Shade variation	N/A	N/A	V2	
1 2 3 4 5 6 7 8 9	Number of faces	N/A	N/A	12	



Packing Information

Tile description		Quantity per box	Quantity per m2		Quantity per pallet	
Size (mm)	Texture	Pieces	Pieces	Weight	m2	boxes
300 x 300	In/out	11	11.11	20.20 kg	55.44	56
300 x 600	In/out	8	5.56	20.83 kg	57.60	40
600 x 600	In/out	4	2.78	20.83 kg	57.60	40
600 x 1200	In/out	2	1.39	23.60 kg	54.72	38



The data and information contained in these specification sheets are indicative only unless stated otherwise.

As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.

