


Pacific

The Pacific range is a polished porcelain tile featuring a rectified edge and a refined natural stone aesthetic, available in Cream, Beige, Grey, and Charcoal. Offered in 600x600 mm, Matt and Polished, this range delivers a sleek, contemporary finish with clean lines and subtle movement, making it ideal for creating elegant residential and commercial interiors.

PACIFIC

COLOURS, FORMATS & FINISHES



Polished	Cream	Beige	Grey	Charcoal
600 x 600mm	●	●	●	●

Matt P3	Cream	Beige	Grey	Charcoal
600 x 600mm	●	●	●	●

FINISH: **POLISHED** | CATEGORY: PORCELAIN TILES | EDGE DETAIL: RECTIFIED | V RATING: V3
FINISH: **MATT** | CATEGORY: PORCELAIN TILES | EDGE DETAIL: RECTIFIED | V RATING: V3





Cream

V3

P3



600 x 600mm
54698 (matt)
54694 (polished)



Beige

V3

P3



600 x 600mm
54705 (matt)
54701 (polished)



Grey

V3

P3



600 x 600mm
54712 (matt)
54708 (polished)



Charcoal










V3

P3



600 x 600mm
54719 (matt)
54715 (polished)

Technical Specifications

Properties	Test Method	Required Value	Value	Applies to
 Water absorption	ISO 10545-3	$\leq 0.5\%$	0.7%	Full range
 Determination of dimensions	ISO 10545-2	Length and width 0.6% Thickness 0.5% Edge straightness 0.5% Surface flatness 0.5%	Length and width $\pm 0.2\%$ Thickness $\pm 2.2\%$ Transmutation $\pm 0.2\%$	Full range
 Breaking strength	ISO 10545-4	≥ 1300 N	≥ 1733 N	Full range
 Modulus of rupture	ISO 10545-4	≥ 35 N/mm	≥ 45 N/mm	Full range
 Abrasion resistance	ISO 10545-6	≤ 175 mm ³	150mm ³	Full range
 Slip resistance (wet pendulum test)	AS 4586:2013	N/A		Matt, Polished
 Chemical resistance	ISO 10545-13	N/A	N/A	Full range
 Origin	N/A	N/A	China	Full range
 Shade variation	N/A	N/A	V3	Full range



Packing Information

Tile Description		Quantity per Box	Quantity per m2		Quantity per Pallet	
Size (mm)	Finish	Pieces	Pieces	Weight	m2	Boxes
600 x 600	Polished Matt	4	2.78	20.14kg	57.60	40



The data and information contained in these specification sheets are indicative only unless stated otherwise. As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.