

Polished

The polished range offers a clean, simplistic look. Available in two neutral tones - Lily Bianco and Super White - in a 600 x 600mm format, the range is suitable for indoor wall and floor applications. Polished provides endless possibilities for your home.



POLISHED

COLOURS, FORMATS & FINISHES



Super White




Lily Bianco

Polished


600 x 600mm	●	●
-------------	---	---

FINISH: **POLISHED** | CATEGORY: PORCELAIN TILES | EDGE DETAIL: RECTIFIED | V RATING: V1






Super White



600 x 600mm
51112 (polished)











Lily Bianco



600 x 600mm
51111 (polished)

Technical Specifications

Properties	Test Method	Required Value	Value	Applies to
 Water absorption	GB/T 4100-2015	$\leq 0.5\%$	0.06%	Full range
 Determination of dimensions	GB/T 4100-2015	Length and width $\pm 1.0\%$ Thickness $\pm 5.00\%$ Edge straightness $\pm 0.2\%$ Surface flatness $\pm 2\%$	Length and width 0.3% Thickness 0.2% Edge straightness 0.26% Surface flatness 0.27%	Full range
 Breaking strength	GB/T 4100-2015	≥ 1300 N	1667 N	Full range
 Modulus of rupture	GB/T 4100-2015	Minimum 35 MPa	38 Mpa	Full range
 Abrasion resistance	GB/T 4100-2015	$\leq 175\text{mm}^3$	113mm ³	Full range
 Chemical resistance	GB/T 4100-2015	Minimum UB	Class UA	Full range
 Origin	N/A	N/A	China	Full range
 Shade variation	N/A	N/A	V2 - Lily Bianco	Lily Bianco



Packing Information

Tile Description		Quantity per Box	Quantity per m2		Quantity per Pallet	
Size (mm)	Finish	Pieces	Pieces	Weight	m2	Boxes
600 x 600	Polished	4	2.78	21.00kg	57.60	40



The data and information contained in these specification sheets are indicative only unless stated otherwise. As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.