


Craftart

The Craftart Range is a versatile and stylish porcelain tile collection available in 75x230mm subway format (Plain) and 200x200mm, offering a blend of timeless elegance and contemporary design. Available in four distinct colours, Cotto, Earth, Desert, and Ice. This range provides a warm and sophisticated palette suitable for various interior styles. Craftart features a diverse selection of patterns, including Plain, 3D Ringlet, and Leaf, allowing for creative and dynamic installations. Whether used for feature walls, splashbacks, or flooring, this collection combines texture, depth, and durability.



CRAFTART

COLOURS, FORMATS & FINISHES



MATT P3	Ice	Desert	Cotto	Earth
200 x 200mm	●	●	●	●
200 x 200mm 3D Ringlet	●	●	●	●
200 x 200mm Leaf	●	●	●	●
75 x 230mm	●	●	●	●

FINISH: **MATT** | CATEGORY: PORCELAIN TILES | EDGE DETAIL: RECTIFIED | V RATING: V2



Colour variation is an inherent property of all kiln-fired products. Tiles supplied may vary from samples provided. All slip ratings are provided subject to the guidelines outlined in our terms and conditions.

Ice



V2

P3

75 x 230mm
54172 (matt)



200 x 200mm
54167 (matt)




200 x 200mm
54166 (matt)



200 x 200mm
54165 (matt)

Desert



V2

P3

75 x 230mm
54171 (matt)



200 x 200mm
54163 (matt)



200 x 200mm
54162 (matt)



200 x 200mm
54161 (matt)

Cotto




75 x 230mm
54169 (matt)



200 x 200mm
54155 (matt)



200 x 200mm
54154 (matt)




200 x 200mm
54153 (matt)

Earth



75 x 230mm
54170 (matt)



200 x 200mm
54159 (matt)












200 x 200mm
54158 (matt)



200 x 200mm
54157 (matt)

Technical Specifications

Properties	Test Method	Required Value	Value	Applies to
 Water absorption	GB/T 4100-2015	≤ 0.5%	2.20%	Full range
 Breaking strength	GB/T 4100-2015	1100 N	1585 N	Full range
 Modulus of rupture	GB/T 4100-2015	Minimum 35 MPa	38 MPa	Full range
 Abrasion resistance	GB/T 4100-2015	As reported	Class 3	Full range
 Slip resistance (wet pendulum test)	AS 4586-2013/Amdt 12017 Appendix A	N/A	P3 - Matt	Matt
 Chemical resistance	GB/T 4100-2015	Minimum UB	GA, GLA, GHA	Full range
 Stain resistance	GB/T 4100-2015	Minimum class 3	Class 5	Full range
 Origin	N/A	N/A	China	Full range
 Shade variation	N/A	N/A	V2	Full range



Packing Information

Tile Description		Quantity per Box	Quantity per m2		Quantity per Pallet	
Size (mm)	Finish	Pieces	Pieces	Weight	m2	Boxes
200 x 200	Matt	25	25.00	17.00	72.00	72
75 x 230	Matt	56	57.97	18.11	61.82	64



The data and information contained in these specification sheets are indicative only unless stated otherwise. As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.