Manhattan



ColorTile™

Where style comes to life™

Manhattan

COLOURS, FORMATS & FINISHES

MATT | P3	Ice	Desert	Cotto	Earth	Ash	Lead	Carbon
200 x 200mm	•	•	•	•	•	•	•
200 x 200mm 3D Ringlet	•	•	•	•			
200 x 200mm Leaf	•	•	•	•			
75 x 230mm	•	•	•	•			

FINISH: **MATT** | CATEGORY: PORCELAIN TILES | EDGE DETAIL: RECTIFIED | V RATING: V2



Colour variation is an inherent property of all kiln-fired products. Tiles supplied may vary from samples provided. All slip ratings are provided subject to the guidelines outlined in our terms and conditions.




75 x 230mm
54172 (matt)

200 x 200mm
54167 (matt)

200 x 200mm
54166 (matt)

200 x 200mm
54165 (matt)




75 x 230mm
54171 (matt)


200 x 200mm
54163 (matt)


200 x 200mm
54162 (matt)


200 x 200mm
54161 (matt)

ColorTile™

1300 265 678
www.colortile.com.au





75 x 230mm
54169 (matt)


200 x 200mm
54155 (matt)


200 x 200mm
54154 (matt)


200 x 200mm
54153 (matt)




75 x 230mm
54170 (matt)


200 x 200mm
54159 (matt)


200 x 200mm
54158 (matt)



200 x 200mm
54157 (matt)

ColorTile™

1300 265 678
www.colortile.com.au



200 x 200mm
55166 (matt)






200 x 200mm
55167 (matt)

ColorTile™

1300 265 678
www.colortile.com.au





200 x 200mm
55166 (matt)



Technical Specifications

Properties	Test Method	Required Value	Value	Applies to
Water absorption	GB/T 4100-2015	⩽ 0.5%	2.20%	Full range
Breaking strength	GB/T 4100-2015	1100 N	1585 N	Full range
Modulus of rupture	GB/T 4100-2015	Minimum 35 MPa	38 MPa	Full range
Abrasion resistance	GB/T 4100-2015	As reported	Class 3	Full range
Slip resistance (wet pendulum test)	AS 4586-2013/Amdt 12017 Appendix A	N/A	P3 - Matt	Matt
Chemical resistance	GB/T 4100-2015	Minimum UB	GA, GLA, GHA	Full range
Stain resistance	GB/T 4100-2015	Minimum class 3	Class 5	Full range
Origin	N/A	N/A	China	Full range
Shade variation	N/A	N/A	V2	Full range



Packing Information

Tile Description		Quantity per Box	Quantity per m2		Quantity per Pallet	
Size (mm)	Finish	Pieces	Pieces	Weight	m2	Boxes
200 x 200	Matt	25	25.00	17.00	72.00	72
75 x 230	Matt	56	57.97	18.11	61.82	64



The data and information contained in these specification sheets are indicative only unless stated otherwise. As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.