


Marlow

The Marlow range emulates the look of yesteryear giving the appearance of traditional handmade tiles. Whether laid in the tradition of days gone or personalized to create a modern look, Marlow is perfect for splashbacks and feature walls. This range is available in thirteen gloss colourways - blue, blush, charcoal, cloud, forest, mist, ocean, rosewater, sand, smoke, tide and turquoise - and in one size 75 x 300mm. Black and Cloud are also available in a matt finish.




Black



75 x 300mm
53812 (gloss wall)
53813 (matt wall)

Blue



75 x 300mm
51768 (gloss wall)

Blush



75 x 300mm
53810 (gloss wall)

Charcoal




75 x 300mm
52253 (gloss wall)

Cloud



75 x 300mm
51636 (gloss wall)
51638 (matt wall)

Forest



75 x 300mm
53811 (gloss wall)



Mist



75 x 300mm
51640 (gloss wall)



Ocean



75 x 300mm
52252 (gloss wall)

Sand




75 x 300mm
51642 (gloss wall)

Smoke



75 x 300mm
51641 (gloss wall)

Tide










75 x 300mm
51644 (gloss wall)

Turquoise



75 x 300mm
53808 (gloss wall)

Technical Specification

	Properties	Test Method	Required Value	Value	Applies to
	Water absorption	ASTM C373	$\leq 20.0\%$	$\leq 16.7\%$	Full range
	Determination of dimensions	ASTM C499	Thickness $\leq 0.79\text{mm}$	Thickness $\leq 0.5\text{mm}$	Full range
	Breaking strength	ASTM C648	$\geq 550\text{ N}$	$\geq 1340\text{ N}$	Full range
	Abrasion resistance	ASTM C1027	As reported	Class 3	Full range
	Chemical resistance	ASTM C650	Class B min.	Class A	Full range
	Origin	N/A	N/A	China	Full range
	Shade variation	N/A	N/A	V1	Full range

Packing Information

Tile description		Quantityper box	Quantity per m2		Quantity per pallet	
Size (mm)	Texture	Pieces	Pieces	Weight	m2	boxes
75 x 300	Matt Gloss	44	44.44	18.00 kg	79.20	80



The data and information contained in these specification sheets are indicative only unless stated otherwise. As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.