

Mystic

Mystic is a hard-wearing porcelain tile displaying a graceful marbling appearance. Its remarkable portrayal of marble veins creates an unparalleled depth effect giving a timeless luxury to any space. Requiring little maintenance, this range is available in one colorway (Ocean) and in a contemporary 600 x 1200mm format suitable for internal use, including wet areas.


MYSTIC

COLOURS



Ocean

FORMATS



600 x 1200mm
(6 faces)

FINISH: **GLOSS** | CATEGORY: PORCELAIN TILES | EDGE DETAIL: RECTIFIED | V RATING: V2



Colour variation is an inherent property of all kiln-fired products. Tiles supplied may vary from samples provided. All slip ratings are provided subject to the guidelines outlined in our terms and conditions.










Ocean



600 x 1200mm
53950(polished) P2



Technical Specification

	Properties	Test Method	Required Value	Value	Applies to
	Water absorption	EN ISO 10545-3	$\leq 0.5\%$	<0.1%	Full range
	Determination of dimensions	EN ISO 10545-2	Length and width $\pm 0.6\%$ Thickness $\pm 5.00\%$ Transmutation $\pm 0.5\%$	Compliant	Full range
	Breaking strength	EN ISO 10545-4	≥ 1300 N	Compliant	Full range
	Modulus of rupture	EN ISO 10545-4	35 N/mm ²	Compliant	Full range
	Slip resistance (oil wet ramp test)	DIN 51130	N/A	R10	Full range
	Chemical resistance	EN ISO 10545-13	Min. GB	Compliant	Full range
	Stain resistance	EN ISO 10545-14	Min class 3	Compliant	Full range
	Origin	N/A	N/A	Italy	Full range
	Shade variation	N/A	N/A	V3	Full range

Packing Information

Tile description		Quantityper box	Quantity per m2		Quantity per pallet	
Size (mm)	Texture	Pieces	Pieces	Weight	m2	boxes
600 x 1200	Polished	2	1.39	19.70	46.08	32



The data and information contained in these specification sheets are indicative only unless stated otherwise.
As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation.
The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose.
To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet.
No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.