

Paddington

The Paddington Range is a sophisticated porcelain tile collection that captures the timeless elegance of natural stone, combining durability with effortless style across a wide variety of spaces. Inspired by the organic movement and subtle veining of natural stone, Paddington delivers a refined, contemporary aesthetic suitable for both residential and commercial interiors.

Designed for versatility, the range is available in an extensive selection of formats including Chevron, Square mosaics, Subway (50x300mm), 300x300mm, 300x600mm, 600x600mm, and 600x1200mm. This comprehensive format offering allows for seamless floor-to-wall applications, feature walls, splashbacks, and detailed design elements enabling cohesive, large-scale installations or intricate statement areas within the same colour palette.

Paddington is available in nine timeless colourways: White, Cream, Ivory, Beige, Terra, Silver, Grigio, Antracite and Black. From warm neutrals and earthy tones to cool greys and bold charcoals, the palette has been carefully curated to suit classic, contemporary, and architectural interiors alike.

Combining natural beauty with low-maintenance practicality and high-performance ceramic durability, the Paddington Range is ideal for creating elegant, continuous surfaces that enhance bathrooms, kitchens, living areas, and commercial environments with understated sophistication.

PADDINGTON

COLOURS, FORMATS & FINISHES



Matt | P3

	Cream	Ivory	Beige	Terra	Silver	Grigio	Antracite
600 x 1200mm	•	•	•	•	•	•	•
600 x 600mm	•	•	•	•	•	•	•
300 x 600mm	•	•	•	•	•	•	•
300 x 300mm	•	•	•	•	•	•	•
260 x 300mm Chevron	•	•	•	•	•	•	•
50 x 300mm	•	•	•	•	•	•	•
50 x 50mm Mosaic	•	•	•	•	•	•	•

Textured | P5


600 x 600mm	•	•	•	•	•	•	•
-------------	---	---	---	---	---	---	---

FINISH: **MATT** | CATEGORY: PORCELAIN TILES | EDGE DETAIL: RECTIFIED | V RATING: V3
 FINISH: **TEXTURED** | CATEGORY: PORCELAIN TILES | EDGE DETAIL: RECTIFIED | V RATING: V3




Colour variation is an inherent property of all kiln-fired products. Tiles supplied may vary from samples provided. All slip ratings are provided subject to the guidelines outlined in our terms and conditions.

White



600 x 600mm
55126 (matt)
55127 (textured)



600 x 1200mm
55128 (matt)



50 x 300mm
55125 (matt)



Chevron Mosaic
55129 (matt)



Square Mosaic
55130 (matt)




300 x 300mm
55123 (matt)




300 x 600mm
55124 (matt)

Cream



600 x 600mm
54412 (matt)
54788 (textured)



600 x 1200mm
54521 (matt)




50 x 300mm
54773 (matt)



Chevron Mosaic
54849 (matt)



Square Mosaic
54791 (matt)



300 x 300mm
54646 (matt)



300 x 600mm
54647 (matt)



600 x 600mm
54411 (matt)
54787 (textured)



600 x 1200mm
54522 (Matt)


50 x 300mm
54775 (matt)



Chevron Mosaic
54843 (matt)



Square Mosaic
54795 (matt)



300 x 300mm
54650 (matt)



300 x 600mm
54651 (matt)



600 x 600mm
54654 (matt)
54783 (textured)



600 x 1200mm
54655 (matt)

50 x 300mm
54776 (matt)




Chevron Mosaic
54846 (matt)




Square Mosaic
54790 (matt)



300 x 300mm
54652 (matt)



300 x 600mm
54653 (matt)



Terra

V2
P3 P5



600 x 600mm
54658 (matt)
54784 (textured)




600 x 1200mm
54659 (matt)

50 x 300mm
54777 (matt)



Chevron Mosaic
54845 (matt)



Square Mosaic
54792 (matt)



300 x 300mm
54656 (matt)



300 x 600mm
54657 (matt)



Silver

V2
P3 P5



600 x 600mm
54662 (matt)
54785 (textured)




600 x 1200mm
54663 (matt)

50 x 300mm
54778 (matt)




Chevron Mosaic
54847 (matt)



Square Mosaic
54793 (matt)



300 x 300mm
54660 (matt)



300 x 600mm
54661 (matt)



Grigio

V2
P3 P5



600 x 600mm
54410 (matt)
54789 (textured)




600 x 1200mm
54523 (matt)



50 x 300mm
54774 (matt)



Chevron Mosaic
54844 (matt)



Square Mosaic
54796 (matt)



300 x 300mm
54648 (matt)




300 x 600mm
54649 (matt)



Antracite

V2
P3 P5




600 x 600mm
54666 (matt)
54786 (textured)




600 x 1200mm
54667 (matt)



50 x 300mm
54779 (matt)




Chevron Mosaic
54848 (matt)



Square Mosaic
54794 (matt)



300 x 300mm
54664 (matt)




300 x 600mm
54665 (matt)



Black

V2
P3 P5



600 x 600mm
55134 (matt)
55135 (textured)




600 x 1200mm
55136 (matt)


50 x 300mm
55133 (matt)



Chevron Mosaic
55137 (matt)



Square Mosaic
55138 (matt)













300 x 300mm
55131 (matt)



300 x 600mm
55132 (matt)



Technical Specifications

Properties	Test Method	Required Value	Value	Applies to
 Water absorption	EN ISO 10545-3	$\leq 0.5\%$	<3%	Full range
 Determination of dimensions	EN ISO 10545-2	Length and width $\pm 0.6\%$ Thickness $\pm 5.00\%$ Transmutation $\pm 0.5\%$	Length and width $\pm 0.6\%$ Thickness $\pm 5.00\%$ Transmutation $\pm 0.1\%$	Full range
 Breaking strength	EN ISO 10545-4	≥ 1100 N	≥ 1606 N	Full range
 Modulus of rupture	EN ISO 10545-4	≥ 35 N/mm ²	≥ 37.3 N/mm ²	Full range
 Abrasion resistance	EN ISO 10545-7	≤ 205 mm ²	≤ 160 mm ²	Full range
 Slip resistance (wet pendulum test)	AS 4586-2013/ AMDT1-2017	N/A	P3 - Matt P5 - Textured	Matt, Textured
 Chemical resistance	EN ISO 10545-13	Min. GB	Class 5	Full range
 Stain resistance	ISO 10545-14	Min class 3	Class 5	Full range
 Origin	N/A	N/A	China	Full range
 Shade variation	N/A	N/A	V3	Full range



Packing Information

Tile Description		Quantity per Box	Quantity per m2		Quantity per Pallet	
Size (mm)	Finish	Pieces	Pieces	Weight	m2	Boxes
Square Mosaic	Matt	11	-	1.80kg	-	-
Chevron Mosaic 260 x 300	Matt	11	-	1.60kg	-	-
50 x 300	Matt	40	66.67	20.00kg	64.80	108
300 x 300	Matt	11	11.11	20.14kg	55.44	56
300 x 600	Matt	8	5.56	22.22kg	57.60	40
600 x 600	Matt Textured	4	2.78	20.50kg	57.60	40
600 x 1200	Matt	2	1.39	22.22kg	46.08	32



The data and information contained in these specification sheets are indicative only unless stated otherwise. As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.