











Caramela

The Caramela range captures the nostalgic charm of yesteryear, evoking the timeless appeal of traditional handmade tiles. Whether installed in a classic layout reminiscent of days past or customized to achieve a contemporary aesthetic, Caramela lends itself perfectly to both splashbacks and feature walls. Available in a palette of ten glossy colourways - including Beige, Charcoal, Cotto, Dark Blue, Dark Green, Grey, Mint, Pink, Red, and White - this range offers versatile options to suit any design scheme.

CARAMELA

COLOURS, FORMATS & FINISHES

										
GLOSS	White	Beige	Cotto	Red	Pink	Mint	Dark Blue	Dark Green	Grey	Charcoal
75 x 300mm	•	•	•	•	•	•	•	•	•	•

FINISH: **GLOSS** | CATEGORY: CERAMIC TILES | EDGE DETAIL: UNRECTIFIED | V RATING: V2





White



75 x 300mm (22 faces)
54011 (gloss)

Beige



75 x 300mm (22 faces)
CARMBE7530 (gloss)

Cotto





75 x 300mm (22 faces)
54020 (gloss)

Red



75 x 300mm (22 faces)
54016 (gloss)

Pink




75 x 300mm (22 faces)
54012 (gloss)

Mint





75 x 300mm (22 faces)
54013 (gloss)

Dark Blue



75 x 300mm (22 faces)
54019 (gloss)

Dark Green




75 x 300mm (22 faces)
54018 (gloss)

Grey










75 x 300mm (22 faces)
54014 (gloss)

Charcoal



75 x 300mm (22 faces)
54017 (gloss)

Technical Specification

	Properties	TestMethod	Required Value	Value	Applies to
	Water absorption	ASTM C373	$\leq 20.0\%$	$\leq 16.7\%$	Full range
	Determination of dimensions	ASTM C499	Thickness $\leq 0.79\text{mm}$	Thickness $\leq 0.5\text{mm}$	Full range
	Breaking strength	ASTM C648	$\geq 550\text{ N}$	$\geq 1340\text{ N}$	Full range
	Abrasion resistance	ASTM C1027	As reported	Class 3	Full range
	Chemical resistance	ASTM C650	Class B min.	Class A	Full range
	Origin	N/A	N/A	China	Full range
	Shade variation	N/A	N/A	V2	Full range

Packing Information

Tile description		Quantityper box	Quantity per m2		Quantity per pallet	
Size (mm)	Texture	Pieces	Pieces	Weight	m2	boxes
75 x 300	Gloss	44	44.44	13.00 kg	89.10	90



The data and information contained in these specification sheets are indicative only unless stated otherwise. As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.