

# Casablanca

Casablanca is a colourful wall tile range offering a modern rustic feel. The range in White 120 x 120mm and 58 x 242mm formats, and is suitable for splashbacks and any internal wall application. Casablanca can be laid in the tradition of yesteryear or personalized to create a striking modern look.





# CASABLANCA

## COLOURS, FORMATS & FINISHES




MATT

White

120 x 120mm	●
58 x 242mm	●

FINISH: **GLOSS** | CATEGORY: CERAMIC WALL TILES | EDGE DETAIL: UNRECTIFIED | V RATING: V2  
FINISH: **MATT** | CATEGORY: CERAMIC WALL TILES | EDGE DETAIL: UNRECTIFIED | V RATING: V2





120 x 120mm  
52687 (gloss)  
52688 (matt)












58 x 242mm  
52674 (gloss)  
52675 (matt)





# Technical Specification

	Properties	TestMethod	Required Value	Value	Applies to
	Water absorption	ISO 10545-3	$\leq 0.5\%$	16%	Full range
	Determination of dimensions	ISO 10545-2	Length and width $\pm 0.5\%$ Thickness $\pm 5.00\%$ Edge straightness $\pm 0.5\%$ Surface flatness $\pm 5\%$	Length and width $\pm 0.5\%$ Thickness $-2.7\% \sim 1.4\%$ Edge straightness $0\%$ Surface flatness $\pm 0.1\%$	Full range
	Breaking strength	ISO 10545-4	$\geq 200$ N	522 N	Full range
	Modulus of rupture	ISO 10545-4	Minimum 15 MPa	19 MPa	Full range
	Abrasion resistance	ISO 10545-7	CLASS 3 min	Class 3	Full range
	Chemical resistance	ISO 10545-13	GB min.	GLA, GA	Full range
	Stain resistance	ISO 10545-14	Class 3 min.	Class 5	Full range
	Origin	N/A	N/A	China	Full range
	Shade variation	N/A	N/A	V2	Full range

# Packing Information

Tile description		Quantityper box	Quantity per m2		Quantity per pallet	
Size (mm)	Texture	Pieces	Pieces	Weight	m2	boxes
58 x 242	Gloss Matt	70	71.25	13.80 kg	82.53	84
120 x 120	Gloss Matt	80	69.44	14.50 kg	96.77	84



The data and information contained in these specification sheets are indicative only unless stated otherwise. As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.