

# Kempsey

The Kempsey range is an Australian-made glazed tile series using the latest in digital printing to replicate the look of stone. Available in four colourways – Ash, Grey, White and Ivory – and in a 300 x 300mm, 300 x 600mm, 450 x 450mm and 600 x 600mm matt format as well as a 450 x 450mm and 600 x 600mm external finish, Kempsey offers complete flexibility for today's modern lifestyle.

# KEMPSEY

## COLOURS, FORMATS & FINISHES



### MATT | P3

Ivory

White

Grey

Ash

600 x 600mm	●	●	●	●
450 x 450mm	●	●	●	●
300 x 600mm	●	●	●	●
300 x 300mm	●	●	●	●

### TEXTURED | P5

600 x 600mm	●	●	●	●
450 x 450mm	●	●	●	●

FINISH: **MATT** | CATEGORY: GLAZED FLOOR TILES | EDGE DETAIL: UNRECTIFIED | V RATING: V2  
FINISH: **TEXTURED** | CATEGORY: GLAZED FLOOR TILES | EDGE DETAIL: UNRECTIFIED | V RATING: V2





# Ivory



300 x 300mm  
53907 (matt) P3



450 x 450mm  
53909 (matt) P3  
53910 (textured) P5



300 x 600mm  
53908 (matt) P3



600 x 600mm  
53911 (matt) P3  
53912 (textured) P5



# White



300 x 300mm  
52342 (matt) P3



450 x 450mm  
52345 (matt) P3  
52348 (textured) P5



300 x 600mm  
52351 (matt) P3



600 x 600mm  
52354 (matt) P3  
52357 (textured) P5



Grey



300 x 300mm  
52343 (matt) P3



450 x 450mm  
52346 (matt) P3  
52349 (textured) P5



300 x 600mm  
52352 (matt)  
P3



600 x 600mm  
52355 (matt) P3  
52358 (textured) P5



Ash



300 x 300mm  
52344 (matt) P3



450 x 450mm  
52347 (matt) P3  
52350 (textured) P5



300 x 600mm  
52353 (matt)




600 x 600mm  
52356 (matt)P3  
52359 (textured) P5

# Technical Specification

Properties	Test Method	Required Value	Value	Applies to
 Water absorption	ISO 10545-3	≤ 0.5%	≤ 3%	All finishes
 Determination of dimensions	ISO 10545-2	Length and width ± 0.5% Thickness ± 5.00% Edge straightness ± 0.5% Surface flatness ± 5%	Length and width 0.5% Thickness 5.0% Edge straightness 0.6% Surface flatness 0.5%	All finishes
 Breaking strength	ISO 10545-4	≥ 1300 N	2184 N	All finishes
 Abrasion resistance	ISO 10545-6	Class 3 min	Complies with standards	All finishes
 Slip resistance (wet pendulum test)	Wet pendulum test	N/A	P5 - Textured P3 - Matt	Matt, Textured
 Chemical resistance	ISO 10545-13	GB min.	Complies with standards	All finishes
 Stain resistance	ISO 10545-14	Class 3 min.	Complies with standards	All finishes
 Origin	N/A	N/A	Australia	Full range
 Shade variation	N/A	N/A	V2	Full range

# Packing Information

Tile description		Quantity per box	Quantity per m2		Quantity per pallet	
Size (mm)	Texture	Pieces	Pieces	Weight	m2	boxes
300 x 300	Matt	22	11.11	14.05 kg	95.04	48
300 x 600	Matt	8	5.56	20.00 kg	69.12	48
450 x 450	Matt Textured	7	4.93	16.74 kg	113.60	80
600 x 600	Matt Textured	4	2.78	19.97 kg	69.12	48



The data and information contained in these specification sheets are indicative only unless stated otherwise. As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.