

Melange

Celebrating the authentic charm of handmade ceramics, the Mélange collection reimagines the classic 100x100mm tile with a fresh contemporary edge. Inspired by materials rich in history and craftsmanship, Mélange blends tradition with modern design to create a surface full of character and visual interest.


The glossy glazed finish enhances colour depth while subtle tonal variations bring each tile to life. With almost infinite pattern movement across every shade, Mélange delivers a vibrant, dynamic surface that plays beautifully with the tile's clean square form.

Available in nine expressive colours: Acquamarina, Beige, Bianco, Bordeaux, Glicine, Kaki, Nero, Oltremare and Teal. Mélange offers a versatile, design-led solution perfect for splashbacks, feature walls and statement interiors seeking a handcrafted aesthetic with contemporary personality.



MELANGE

COLOURS, FORMATS & FINISHES



GLOSS	Bianco	Beige	Kaki	Aquamarina	Teal	Ottramere	Bordeaux	Gilcine	Nera
100 x 100mm	•	•	•	•	•	•	•	•	•

FINISH: **GLOSS** | CATEGORY: PORCELAIN TILES | EDGE DETAIL: UNRECTIFIED | V RATING: V3





Bianco



100x100mm
54762 (gloss)



Beige



100x100mm
54763 (gloss)

Kaki



100x100mm
54769 (gloss)

Acquamarina



100x100mm
54767 (gloss)

Teal




100x100mm
54765 (gloss)

Oltremare




100x100mm
54766 (gloss)

Bordeaux



100x100mm
54770 (gloss)

Gilcine



100x100mm
54764 (gloss)

Nero



100x100mm
54768 (gloss)



Technical Specification

Properties	Test Method	Required Value	Value	Applies to
 Water absorption	EN ISO 10545-3	$\leq 0.5\%$	$\leq 0.3\%$	Full range
 Determination of dimensions	EN ISO 10545-2	Length and width $\pm 0.6\%$ Thickness $\pm 5.00\%$ Transmutation $\pm 0.5\%$	Length and width $\pm 0.6\%$ Thickness $\pm 5.00\%$ Transmutation $\pm 0.3\%$	Full range
 Breaking strength	EN ISO 10545-4	≥ 1000 N	≥ 1000 N	Full range
 Modulus of rupture	EN ISO 10545-4	≥ 22 N/mm ²	≥ 22 N/mm ²	Full range
 Abrasion resistance	EN ISO 10545-7	Class 3 min	Class 3	Full range
 Slip resistance (wet pendulum test)	AS 4586-2013/ AMDT1-2017	N/A	N/A	Gloss
 Chemical resistance	EN ISO 10545-13	Min. GB	Class GA, GLA, GLB, GHA, GHB	Full range
 Stain resistance	ISO 10545-14	Min class 3	Class 5	Full range
 Origin	N/A	N/A	Italy	Full range
 Shade variation	N/A	N/A	V3	Full range

Packing Information

Tile description		Quantity per box	Quantity per m2		Quantity per pallet	
Size (mm)	Texture	Pieces	Pieces	Weight	m2	boxes
100x100	Gloss	54	100	19.76kg	43.20	80



The data and information contained in these specification sheets are indicative only unless stated otherwise. As Japan Ceramics cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, Japan Ceramics will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.