

Noosa

The Noosa Range captures the timeless beauty of natural stone, available in both Cross Cut and Vein Cut finishes to deliver distinctive visual variation and suit a wide range of architectural styles.

The collection is available in 600x1200mm, 600x600mm, 300x600mm, 300x300mm, and 75x300mm Subway, along with a 600x1200mm 3D Linear patterned tile that adds depth and texture to feature areas. Decorative options including 75x75mm Sheet Mosaics and 298x298mm Tumbled Mosaics provide further flexibility for splashbacks, niches, and statement walls.

For traditional stone layouts, the range is also available in Crazy Pave and French Pattern formats, creating a natural and timeless aesthetic suitable for both indoor and outdoor environments.

The Noosa Range also features a refined Silktec finish, available in 600x1200mm, 600x600mm, and 300x600mm, offering a smooth, contemporary surface suitable for interior floor and wall applications.

For external areas, the range includes 600x600mm (20mm thick) outdoor pavers, designed for durability in patios, pathways, and pool surrounds. Complementary coping pieces including 398x600mm Pencil Edge (20mm thick) and 398x600mm 40mm Drop Down coping provide a clean and seamless finish for steps and pool edges.

Noosa

COLOURS, FORMATS & FINISHES



In/Out | P4

Light - Cross

Light - Vein

Beige - Cross

Beige - Vein

Silver - Cross

Silver - Vein

Grey - Cross

Grey - Vein

600 x 1200mm	•	•	•	•	•	•	•	•
600 x 1200mm 3D Linear	•		•		•		•	
600 x 600mm	•	•	•	•	•	•	•	•
300 x 600mm	•	•	•	•	•	•	•	•
300 x 300mm	•	•	•	•	•	•	•	•
75 x 300mm	•		•		•		•	
75 x 75mm Sheeted Mosaic	•		•		•		•	
298 x 298mm Tumbled Mosaic	•		•		•		•	
Crazy Pave	•		•		•		•	
French Pattern	•		•		•		•	

SilkTec - COMING SOON

600 x 1200mm	•		•		•		•	
600 x 600mm	•		•		•		•	
300 x 600mm	•		•		•		•	

Textured | P5

600 x 600mm 20mm Paver	•	•	•	•	•	•	•	•
398 x 600mm 20mm Pencil Edge	•		•		•		•	
398 x 600mm 40mm Drop Down	coming soon		coming soon		coming soon		coming soon	

FINISH: **IN/OUT** | CATEGORY: PORCELAIN TILES | EDGE DETAIL: RECTIFIED | V RATING: V3

FINISH: **IN/OUT** | CATEGORY: SUBWAY TILES | EDGE DETAIL: RECTIFIED | V RATING: V3

FINISH: **IN/OUT** | CATEGORY: MOSAIC TILES | EDGE DETAIL: RECTIFIED | V RATING: V3

FINISH: **SILKTEC** | CATEGORY: PORCELAIN TILES | EDGE DETAIL: RECTIFIED | V RATING: V3

FINISH: **TEXTURED** | CATEGORY: PORCELAIN TILES | EDGE DETAIL: RECTIFIED | V RATING: V3





Light - Cross



300 x 300mm mosaic
53747 (in/out)



300 x 600mm
53700 (in/out)
54681 (silktec)



300 x 300mm
tumbled mosaic
54675 (in/out)



600 x 600mm (24 faces)
53701 (in/out)
54682 (silktec)
53704 (textured 2CM)



398 x 600mm Coping
53703 (textured)
54686 (textured 4CM dropface)



600 x 1200mm
53702 (in/out)
54684 (linear)
54683 (silktec)



75 x 300mm
53750 (in/out)



300 x 300mm
54116 (in/out)



Crazy Paver
54434 (in/out)



Crazy Paver
54434 (in/out)



French Pattern
54366 (in/out)

Light - Vein



300 x 300mm
53960 (in/out)



300 x 600mm
54384 (in/out)



600 x 600mm
54385 (in/out)
54386 (textured 2CM)



600 x 1200mm
54387 (in/out)





Beige - Cross



300 x 300mm mosaic
53748 (in/out)



300 x 600mm
53705 (in/out)
54669 (silktec)



300 x 300mm
tumbled mosaic
54873 (in/out)



600 x 600mm
53706 (in/out)
54670 (silktec)
53709 (textured 2CM)



398 x 600mm Coping
53708 (textured)
54674 (textured 4CM dropface)



600 x 1200mm
53707 (in/out)
54672 (linear)
54671 (silktec)




75 x 300mm
53751 (in/out)



300 x 300mm
54114 (in/out)



Crazy Paver
54432 (in/out)



Crazy Paver
54432 (in/out)



French Pattern
54363 (in/out)



Beige - Vein



300 x 300mm
53958 (in/out)



300 x 600mm
54380 (in/out)



600 x 600mm
54381 (in/out)
54382 (textured 2CM)



600 x 1200mm
54383 (in/out)



Silver - Cross



300 x 300mm mosaic
53746 (in/out)



300 x 600mm
53710 (in/out)
54687 (silktec)



300 x 300mm
tumbled mosaic
54876 (in/out)



600 x 600mm
53711 (in/out)
54688 (silktec)
53714 (textured 2CM)



398 x 600mm Coping
53713 (textured)
54692 (textured 4CM dropface)



600 x 1200mm
53712 (in/out)
54690 (linear)
54689 (silktec)



75 x 300mm
53749 (in/out)



300 x 300mm
54117 (in/out)



Crazy Paver
54435 (in/out)



Crazy Paver
54435 (in/out)



French Pattern
54365 (in/out)



Silver - Vein



300 x 300mm
53961 (in/out)



300 x 600mm
54392 (in/out)



600 x 600mm
54393 (in/out)
54394 (textured 2CM)



600 x 1200mm
54395 (in/out)





Grey - Cross



300 x 300mm mosaic
53930 (in/out)



300 x 600mm
53925 (in/out)
54675 (silktec)



300 x 300mm
tumbled mosaic
54679 (in/out)



600 x 600mm
53927 (in/out)
54676 (silktec)
53928 (textured 2CM)



398 x 600mm Coping
53926 (textured)
54680 (textured 4CM dropface)



600 x 1200mm
53929 (in/out)
54678 (linear)
54677 (silktec)




75 x 300mm
53931 (in/out)



300 x 300mm
54115 (in/out)




Crazy Paver
54433 (in/out)



Crazy Paver
54433 (in/out)



French Pattern
54364 (in/out)



Grey - Vein



300 x 300mm
53959 (in/out)



300 x 600mm
54388 (in/out)



600 x 600mm
54389 (in/out)
54390 (textured 2CM)



600 x 1200mm
54391 (in/out)



Technical Specification

Properties	Test Method	Required Value	Value	Applies to
 Water absorption	EN ISO 10543-3:2018	$\leq 0.5\%$	$\leq 0.5\%$	Full range
 Determination of dimensions	EN ISO 10545-2	Length & width $\pm 0.6\%$ Thickness $\pm 5.00\%$ Transmutation $\pm 0.5\%$	Length & Width $\pm 0.1\%$ Thickness $\pm 3\%$ Transmutation $\pm 0.2\%$	Full range
 Breaking strength	EN ISO 10545-4:2019	≥ 1300 N	≥ 1300 N	Full range
 Modulus of rupture	EN ISO 10545-4:2019	≥ 35 N/mm ²	≥ 35 N/mm ²	Full range
 Abrasion resistance	EN ISO 10545-7	≤ 205 mm ²	≤ 160 mm ²	Full range
 Slip resistance (wet pendulum test)	AS 4586-2013/Amdt 1-2017	N/A	P4	Textured In/out
 Chemical resistance	EN ISO 10545-13:2016	Min. B	Class A	Full range
 Stain resistance	AS 13006:2020	Min class 3	Pass	Full range
 Origin	N/A	N/A	China	Full range
 Shade variation	N/A	N/A	V3	Full range


Packing Information - Cross Cut

Tile description		Quantity per box	Quantity per m2		Quantity per pallet	
Size (mm)	Texture	Pieces	Pieces	Weight	m2	boxes
75 x 300	In/out	36	44.44	22.22 kg	58.32	72
300 x 300	In/out	11	11.11	22.00 kg	55.44	56
300 x 300 Mosaic	In/out	11	-	2.00 kg	-	60
300 x 600	In/out	8	5.56	21.18 kg	57.60	40
398 x 600 Coping (2CM)	Textured	2	4.18	11.25 kg	30.56	64
398 x 600 Coping (4CM)	Textured	2	3.79	45.45 kg	33.79	64
600 x 600	In/out	4	2.78	21.18 kg	57.60	40
600 x 600 2cm pavers	Textured	2	2.78	46.53 kg	28.80	40

The data and information contained in these specification sheets are indicative only unless stated otherwise. As Japan Ceramics cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, Japan Ceramics will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.

Packing Information - Cross Cut


Tile description		Quantity per box	Quantity per m2		Quantity per pallet	
Size (mm)	Texture	Pieces	Pieces	Weight	m2	boxes
600 x 1200	In/out Silktec	2	1.39	23.61 kg	57.60	40
Crazy Paver	In/out	6	2.78	22.22 kg	32.40	30
French Pattern	In/out	12	8.33	20.83kg	40.32	28



The data and information contained in these specification sheets are indicative only unless stated otherwise. As Japan Ceramics cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, Japan Ceramics will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.

Packing Information - Vein Cut

Tile description		Quantity per box	Quantity per m2		Quantity per pallet	
Size (mm)	Texture	Pieces	Pieces	Weight	m2	boxes
300 x 300	In/out	11	11.11	22.00 kg	55.44	56
300 x 600	In/out	8	5.56	21.18 kg	57.60	40
600 x 600	In/out	4	2.78	21.18 kg	57.60	40
600 x 600 2cm pavers	In/Out	2	2.78	46.53 kg	28.80	40
600 x 1200	In/out	2	1.39	23.61 kg	43.20	30



The data and information contained in these specification sheets are indicative only unless stated otherwise. As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.