

French Limestone

French Limestone is a soft limestone-look surface in the Ivory colourway, made from cement blended with mineral fragments to create gentle variation and a natural, tactile feel. Designed for internal floors and walls, the range allows a consistent look to flow throughout the home while introducing texture where needed.

The collection is available in a matt finish across 600x1200mm, 300x1200mm, 200x1200mm, 600x600mm, 300x600mm, 300x300mm, French Pattern, 300x330mm Brickbond Mosaic, and 200x200mm Tumbled Fingers, supporting both open spaces and detailed areas.

For applications requiring additional surface character, textured options including 600x600mm, in both 10mm and 20mm, as well as a 398x600mm Coping Paver and French Pattern offer a more tactile finish, ideal for wet areas, entry zones and feature flooring.

French Limestone, Ivory provides a refined, easy-to-spec limestone aesthetic with the flexibility to move seamlessly from large-format layouts to intricate design features within the same material family.

FRENCH LIMESTONE

COLOURS, FORMATS & FINISHES



Matt | P3

Ivory

600 x 1200mm	●
300 x 1200mm	●
200 x 1200mm	●
600 x 600mm	●
300 x 600mm	●
300 x 300mm	●
300 x 330mm Brickbond Mosaic	●
200 x 200mm Tumbled Fingers	●
French Pattern	●

Textured | P5

French Pattern	●
600 x 600mm	●
600 x 600mm 20mm Paver	●
398 x 600mm 20mm Coping	●



FINISH: **TEXTURED** | CATEGORY: PORCELAIN TILES | EDGE DETAIL: RECTIFIED | V RATING: V3
FINISH: **MATT** | CATEGORY: PORCELAIN TILES | EDGE DETAIL: RECTIFIED | V RATING: V3





Brickbond Mosaic
54806 (matt)




300 x 600mm
54801 (matt)




600 x 1200mm
54797 (matt)



Fingers Mosaic
54805 (matt)



300 x 300mm
54802 (matt)



300 x 1200mm
54798 (matt)



200 x 1200mm
54799 (matt)



600 x 600mm
54800 (matt)
54869 (textured)
55115 (textured 2CM)



398 x 600mm Coping
55116 (textured 2CM)



French Pattern
54803 (matt)
54804 (textured)

Technical Specifications

Properties	Test Method	Required Value	Value	Applies to
 Water absorption	EN ISO 10545-3	$\leq 0.5\%$	$\leq 0.5\%$	Full range
 Determination of dimensions	EN ISO 10545-2	Length and width $\pm 0.6\%$ Thickness $\pm 5.00\%$ Transmutation $\pm 0.5\%$	Length and width $\pm 0.2\%$ Thickness $\pm 2.1\%$ Transmutation $\pm 0.2\%$	Full range
 Breaking strength	EN ISO 10545-4	≥ 1300 N	≥ 2208 N	Full range
 Modulus of rupture	EN ISO 10545-4	≥ 35 N/mm ²	≥ 47 N/mm ²	Full range
 Abrasion resistance	EN ISO 10545-4	Class 3 min	Class 3	Full range
 Slip resistance (wet pendulum test)	AS 4586-2013/ AMDT1-2017	N/A	P3 - Matt P5 - Textured	Matt Textured
 Chemical resistance	EN ISO 10545-13	Min. GB	Class GA	Full range
 Stain resistance	ISO 10545-14	Min class 3	Class 5	Full range
 Origin	N/A	N/A	China	Full range
 Shade variation	N/A	N/A	V3	Full range



Packing Information

Tile Description		Quantity per Box	Quantity per m2		Quantity per Pallet	
Size (mm)	Finish	Pieces	Pieces	Weight	m2	Boxes
Brickbond Mosaic	Matt	11	11.00	2.16kg	N/A	N/A
Fingers Mosaic	Matt	11	11.00	0.83kg	N/A	N/A
300 x 300	Matt	11	11.11	22.00kg	55.44	56
300 x 600	Matt	8	5.56	22.00kg	57.60	40
600 x 600	Matt Textured	4	2.78	22.00kg	57.60	40
600 x 600 2CM Paver	Textured	2	2.78	45.85kg	28.80	40
400 x 600 2CM Coping	Textured	2	4.16	11.30kg	N/A	41
200 x 1200	Matt	5	4.17	23.00kg	68.80	54
300 x 1200	Matt	4	2.78	23.00kg	57.60	40
600 x 1200	Matt	2	1.39	23.00kg	40.32	28
French Pattern	Matt Textured	6	8.33	23.60kg	31.68	44



The data and information contained in these specification sheets are indicative only unless stated otherwise. As ColorTile cannot control the conditions under which these products are manufactured, the specifications supplied should be considered as suggested guidelines only and are subject to batch variation. The information contained in these specification sheets should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. To the maximum extent permitted by law, ColorTile will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. No express or implied warranties are given in respect of any specification provided herein other than those that cannot be excluded under the Australian Consumer Law.